



A/C COMMON GROOVE TRANSITION GASKETS (FOR CI & IPS PIPE)

MATERIAL SPECIFICATIONS

GASKET: SBR per ASTM D2000, compounded for water and sewer service. Other compounds available on request.

USE: The gasket is designed to be used in cast iron fittings with an A/C common groove, or asbestos-cement couplings for adapting to C900 PVC or ductile iron pipe.


NSF61/372 certified upon request.



A/C x CI TRANSITION GASKET

NOM. PIPE SIZE	CATALOG NUMBER	APPROX. WEIGHT (lbs.)	LIST PRICE
4"	4" - A/C x CI Transition Gasket	0.3 #	\$24.01
6"	6" - A/C x CI Transition Gasket	0.5 #	29.62
8"	8" - A/C x CI Transition Gasket	0.8 #	35.01
10"	10" - A/C x CI Transition Gasket	1.0 #	49.17
12"	12" - A/C x CI Transition Gasket	1.0 #	63.25

TO ORDER: Specify catalog number.



MATERIAL SPECIFICATIONS

GASKET: SBR per ASTM D2000, compounded for water and sewer service. Other compounds available on request.

USE: The gasket is designed to be used in cast iron fittings with an A/C common groove, or asbestos-cement couplings for adapting to PVC or steel pipe (IPS dimension).

NSF61/372 certified upon request.



A/C x IPS TRANSITION GASKET

NOM. PIPE SIZE	CATALOG NUMBER	APPROX. WEIGHT (lbs.)	LIST PRICE
4"	4" - A/C x IPS Transition Gasket	0.3 #	\$21.71
6"	6" - A/C x IPS Transition Gasket	0.5 #	25.56
8"	8" - A/C x IPS Transition Gasket	0.8 #	33.55

TO ORDER: Specify catalog number.

A/C x PVC Sewer Adapter Gasket available. See Page 7-9.